




东莞铭天创数控科技有限公司
Dongguan Mingtianchuang CNC Technology Co.,Ltd



U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D14-31WC03	14	20	31	50	101	WC_030208	M2.5x5	T8	★
C20-2D14.5-32WC03	14.5		32		101				★
C20-2D15-33WC03	15		33		102				★
C20-2D15.5-34WC03	15.5		34		103				★
C20-2D16-35WC03	16		35		103				★
C20-2D16.5-36WC03	16.5		36		104				★
C20-2D17-37WC03	17	20	37	50	104	WC_030208	M2.5x5	T8	★
C20-2D17.5-38WC03	17.5		38		105				★
C20-2D18-39WC03	18		39		105				★
C20-2D18.5-40WC03	18.5		40		106				★
C20-2D19-41WC03	19		41		106				★
C20-2D19.5-42WC03	19.5		42		107				★
C20-2D20-43WC03	20	20	43	50	108	WC_030208	M2.5x6	T8	★
C20-2D20.5-44WC03	20.5		44		108				★
C20-2D21-45WC04	21		45		109				★
C20-2D21.5-46WC04	21.5		46		109				★
C20-2D22-47WC04	22		47		111				★
C20-2D22.5-48WC04	22.5		48		115				★
C20-2D23-49WC04	23	20	49	50	115	WC_040208	M2.5x7D	T8	★
C20-2D23.5-50WC04	23.5		50		115				★
C20-2D24-51WC04	24		51		116				★
C20-2D24.5-52WC04	24.5		52		117				★
C20-2D25-53WC05	25		53		117	WC_050308	M3x7	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-2D14-31WC03	14	25	31	56	108	WC__030208	M2.5x5	T8	★
C25-2D14.5-32WC03	14.5		32		109				★
C25-2D15-33WC03	15		33		110				★
C25-2D15.5-34WC03	15.5		34		110				★
C25-2D16-35WC03	16		35		111				★
C25-2D16.5-36WC03	16.5		36		111				★
C25-2D17-37WC03	17	25	37	56	113	WC__030208	M2.5x6	T8	★
C25-2D17.5-38WC03	17.5		38		114				★
C25-2D18-39WC03	18		39		115				★
C25-2D18.5-40WC03	18.5		40		116				★
C25-2D19-41WC03	19		41		116				★
C25-2D19.5-42WC03	19.5		42		117				★
C25-2D20-43WC03	20	25	43	56	117	WC__040208	M2.5x7D	T8	★
C25-2D20.5-44WC03	20.5		44		118				★
C25-2D21-45WC04	21		45		119				★
C25-2D21.5-46WC04	21.5		46		119				★
C25-2D22-47WC04	22		47		121				★
C25-2D22.5-48WC04	22.5		48		121				★
C25-2D23-49WC04	23	25	49	56	122	WC__050308	M3x8	T10	★
C25-2D23.5-50WC04	23.5		50		122				★
C25-2D24-51WC04	24		51		124				★
C25-2D24.5-52WC04	24.5		52		124				★
C25-2D25-53WC05	25		53		125				★
C32-2D25.5-54WC05	25.5	32	54	60	137	WC__06T308	M3.5x9	T15	★
C32-2D26-55WC05	26		55		138				★
C32-2D26.5-56WC05	26.5		56		138				★
C32-2D27-57WC05	27		57		139				★
C32-2D27.5-58WC05	27.5		58		139				★
C32-2D28-59WC05	28		59		140				★
C32-2D28.5-60WC05	28.5	32	60	60	140	WC__080412	M4x10	T15	★
C32-2D29-62WC05	29		62		142				★
C32-2D29.5-63WC05	29.5		63		142				★
C32-2D30-64WC05	30		64		144				★
C32-2D30.5-65WC05	30.5		65		144				★
C32-2D31-66WC06	31		66		151				★
C32-2D31.5-67WC06	31.5	32	67	60	151	WC__06T308	M3.5x9	T15	★
C32-2D32-68WC06	32		68		151				★
C32-2D32.5-69WC06	32.5		69		152				★

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-2D33-70WC06	33	32	70	60	152	WC__06T308	M3.5x9	T15	★
C32-2D33.5-71WC06	33.5		71		153				★
C32-2D34-72WC06	34		72		156				★
C32-2D34.5-73WC06	34.5		73		156				★
C32-2D35-74WC06	35		74		157				★
C32-2D35.5-75WC06	35.5		75		157				★
C32-2D36-76WC06	36		76		161				★
C32-2D36.5-77WC06	36.5		77		161				★
C32-2D37-79WC06	37		79		163				★
C32-2D37.5-80WC06	37.5		80		163				★
C32-2D38-81WC06	38		81		165				★
C32-2D38.5-82WC06	38.5		82		165				★
C32-2D39-83WC06	39	40	83	70	168	WC__080412	M4x10	T15	★
C32-2D39.5-84WC06	39.5		84		168				★
C40-2D40-85WC06	40		85		181				★
C40-2D41-87WC06	41		87		183				★
C40-2D42-89WC08	42		89		185				★
C40-2D43-91WC08	43		91		187				★
C40-2D44-93WC08	44		93		189				★
C40-2D45-95WC08	45		95		191				★
C40-2D46-97WC08	46		97		193				★
C40-2D47-99WC08	47		99		195				★
C40-2D48-101WC08	48		101		197				★
C40-2D49-103WC08	49	40	103	70	199				★
C40-2D50-105WC08	50		105		201				★
C40-2D51-107WC08	51		107		203				★
C40-2D52-109WC08	52		109		205				★
C40-2D53-111WC08	53		111		207				★
C40-2D54-113WC08	54		113		209				★
C40-2D55-115WC08	55		115		211				★
C40-2D56-120WC08	56		120		220				★
C40-2D57-122WC08	57		122		222				☆
C40-2D58-124WC08	58		124		224				☆
C40-2D59-126WC08	59		126		226				☆

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D



钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C40-2D55-115WC06	55	40	115	70	211	WC__06T308	M3.5x9	T15	★
C40-2D56-120WC06	56		120		220				★
C40-2D57-122WC06	57		122		222				★
C40-2D58-124WC06	58		124		224				★
C40-2D59-126WC06	59		126		226				★
C40-2D60-128WC06	60		128		228				★
C40-2D61-130WC06	61		130		232				★
C40-2D62-132WC06	62		132		234				★
C40-2D63-134WC06	63		134		236				★
C40-2D64-136WC06	64		136		238				★
C40-2D65-138WC06	65		138		240				★
C40-2D66-142WC06	66		142		242				★
C40-2D67-144WC06	67		144		244				★
C40-2D68-146WC06	68		146		246				★
C40-2D69-148WC06	69		148		248				★
C40-2D70-150WC06	70		150		250				★
C40-2D71-152WC06	71		152		252				★
C40-2D72-154WC06	72		154		254				★
C40-2D73-156WC06	73		156		256				★
C40-2D74-158WC06	74		158		258				★
C40-2D75-160WC06	75		160		260				★
C40-2D76-162WC06	76		162		262				★
C40-2D77-164WC06	77		164		264				★
C40-2D78-166WC06	78		166		266				★
C40-2D79-168WC06	79		168		268				★
C40-2D80-170WC06	80		170		270				★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D



钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D14-45WC03	14	20	45	50	115	WC__030208	M2.5x5	T8	★
C20-3D14.5-47WC03	14.5		47		116				★
C20-3D15-48WC03	15		48		117				★
C20-3D15.5-50WC03	15.5		50		118				★
C20-3D16-51WC03	16		51		119				★
C20-3D16.5-53WC03	16.5		53		120				★
C20-3D17-54WC03	17		54		121				★
C20-3D17.5-56WC03	17.5		56		123				★
C20-3D18-57WC03	18	20	57	50	123	WC__030208	M2.5x6	T8	★
C20-3D18.5-59WC03	18.5		59		125				★
C20-3D19-60WC03	19		60		125				★
C20-3D19.5-62WC03	19.5		62		127				★
C20-3D20-63WC03	20		63		127				★
C20-3D20.5-65WC03	20.5		65		129				★
C20-3D21-66WC04	21		66	50	130	WC__040208	M2.5x7D	T8	★
C20-3D21.5-68WC04	21.5		68		131				★
C20-3D22-69WC04	22		69		133				★
C20-3D22.5-71WC04	22.5		71		138				★
C20-3D23-72WC04	23		72		138				★
C20-3D23.5-74WC04	23.5		74		139				★
C20-3D24-75WC04	24		75		139				★
C20-3D24.5-77WC04	24.5		77		142				★
C20-3D25-78WC05	25		78		142	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-3D14-45WC03	14	25	45	56	107	WC__030208	M2.5x5	T8	★
C25-3D14.5-47WC03	14.5		47		109				★
C25-3D15-48WC03	15		48		110				★
C25-3D15.5-50WC03	15.5		50		112				★
C25-3D16-51WC03	16		51		113				★
C25-3D16.5-53WC03	16.5		53		127				★
C25-3D17-54WC03	17	25	54	56	128	WC__030208	M2.5x6	T8	★
C25-3D17.5-56WC03	17.5		56		130				★
C25-3D18-57WC03	18		57		131				★
C25-3D18.5-59WC03	18.5		59		133				★
C25-3D19-60WC03	19		60		134				★
C25-3D19.5-62WC03	19.5		62		136				★
C25-3D20-63WC03	20	25	63	56	137	WC__040208	M2.5x7D	T8	★
C25-3D20.5-65WC03	20.5		65		139				★
C25-3D21-66WC04	21		66		140				★
C25-3D21.5-68WC04	21.5		68		142				★
C25-3D22-69WC04	22		69		146				★
C25-3D22.5-71WC04	22.5		71		148				★
C25-3D23-72WC04	23	25	72	56	149	WC__050308	M3x8	T10	★
C25-3D23.5-74WC04	23.5		74		151				★
C25-3D24-75WC04	24		75		152				★
C25-3D24.5-77WC04	24.5		77		163				★
C25-3D25-78WC05	25		78		163				★
C32-3D25.5-80WC05	25.5	32	80	60	165				★
C32-3D26-81WC05	26		81		165				★
C32-3D26.5-83WC05	26.5		83		167				★
C32-3D27-84WC05	27		84		168				★
C32-3D27.5-86WC05	27.5		86		169				★
C32-3D28-87WC05	28		87		171				★
C32-3D28.5-89WC05	28.5	32	89	60	172	WC__06T308	M3.5x9	T15	★
C32-3D29-91WC05	29		91		173				★
C32-3D29.5-93WC05	29.5		93		174				★
C32-3D30-94WC05	30		94		180				★
C32-3D30.5-96WC05	30.5		96		182				★
C32-3D31-97WC06	31		97		183				★
C32-3D31.5-99WC06	31.5	32	99	60	184				★
C32-3D32-100WC06	32		100						★
C32-3D32.5-102WC06	32.5		102						★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-3D33-103WC06	33	32	103	60	185	WC__06T308	M3.5x9	T15	★
C32-3D33.5-105WC06	33.5		105		186				★
C32-3D34-106WC06	34		106		190				★
C32-3D34.5-108WC06	34.5		108		191				★
C32-3D35-109WC06	35		109		192				★
C32-3D35.5-111WC06	35.5		111		193				★
C32-3D36-112WC06	36		112		197				★
C32-3D36.5-114WC06	36.5		114		198				★
C32-3D37-116WC06	37		116		200				★
C32-3D37.5-118WC06	37.5		118		201				★
C32-3D38-119WC06	38		119		202				★
C32-3D38.5-121WC06	38.5		121		204				★
C32-3D39-122WC06	39	40	122	70	205	WC__080412	M4x10	T15	★
C32-3D39.5-124WC06	39.5		124		206				★
C40-3D40-125WC06	40		125		221				★
C40-3D41-128WC06	41		128		224				★
C40-3D42-131WC08	42		131		227				★
C40-3D43-134WC08	43		134		230				★
C40-3D44-137WC08	44		137		233				★
C40-3D45-140WC08	45		140		236				★
C40-3D46-143WC08	46		143		239				★
C40-3D47-146WC08	47		146		242				★
C40-3D48-149WC08	48		149		245				★
C40-3D49-152WC08	49	40	152		248				★
C40-3D50-155WC08	50		155		251				★
C40-3D51-158WC08	51		158		254				★
C40-3D52-161WC08	52		161		257				★
C40-3D53-164WC08	53		164		260				★
C40-3D54-167WC08	54		167		263				★
C40-3D55-170WC08	55		170		266				★
C40-3D56-176WC08	56		176		276				★
C40-3D57-179WC08	57		179		279				☆
C40-3D58-182WC08	58		182		282				☆
C40-3D59-185WC08	59		185		285				☆

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C40-3D55-170WC06	55	40	170	70	266	WC__06T308	M3.5x9	T15	★
C40-3D56-176WC06	56		176		276				★
C40-3D57-179WC06	57		179		279				★
C40-3D58-182WC06	58		182		282				★
C40-3D59-185WC06	59		185		285				★
C40-3D60-188WC06	60		188		288				★
C40-3D61-193WC06	61		193		293				★
C40-3D62-196WC06	62		196		296				★
C40-3D63-199WC06	63		199		299				★
C40-3D64-202WC06	64		202		302				★
C40-3D65-205WC06	65		205		305				★
C40-3D66-208WC06	66		208		308				★
C40-3D67-211WC06	67		211		311				★
C40-3D68-214WC06	68		214		314				★
C40-3D69-217WC06	69		217		317				★
C40-3D70-220WC06	70		220		320				★
C40-3D71-223WC06	71		223		323				★
C40-3D72-226WC06	72		226		326				★
C40-3D73-229WC06	73		229		329				★
C40-3D74-232WC06	74		232		332				★
C40-3D75-235WC06	75		235		335				★
C40-3D76-238WC06	76		238		338				★
C40-3D77-241WC06	77		241		341				★
C40-3D78-244WC06	78		244		344				★
C40-3D79-247WC06	79		247		347				★
C40-3D80-250WC06	80		250		350				★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D14-59WC03	14	20	59	50	129	WC__030208	M2.5x5	T8	★
C20-4D14.5-61WC03	14.5		61		130				★
C20-4D15-63WC03	15		63		132				★
C20-4D15.5-65WC03	15.5		65		133				★
C20-4D16-67WC03	16		67		135				★
C20-4D16.5-69WC03	16.5		69		136				★
C20-4D17-71WC03	17		71		138				★
C20-4D17.5-73WC03	17.5		73		140				★
C20-4D18-75WC03	18	20	75	50	141	WC__030208	M2.5x6	T8	★
C20-4D18.5-77WC03	18.5		77		143				★
C20-4D19-79WC03	19		79		144				★
C20-4D19.5-81WC03	19.5		81		146				★
C20-4D20-83WC03	20		83		147				★
C20-4D20.5-85WC03	20.5		85		149				★
C20-4D21-87WC04	21		87	50	150	WC__040208	M2.5x7D	T8	★
C20-4D21.5-89WC04	21.5		89		152				★
C20-4D22-91WC04	22		91		154				★
C20-4D22.5-93WC04	22.5		93		160				★
C20-4D23-95WC04	23		95		161				★
C20-4D23.5-97WC04	23.5		97		162				★
C20-4D24-99WC04	24		99		163				★
C20-4D24.5-101WC04	24.5		101		166				★
C20-4D25-103WC05	25		103		167	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-4D14-59WC03	14	20	59	56	136	WC__030208	M2.5x5	T8	★
C25-4D14.5-61WC03	14.5		61		138				★
C25-4D15-63WC03	15		63		140				★
C25-4D15.5-65WC03	15.5		65		141				★
C25-4D16-67WC03	16		67		143				★
C25-4D16.5-69WC03	16.5	25	69	56	144	WC__030208	M2.5x6	T8	★
C25-4D17-71WC03	17		71		147				★
C25-4D17.5-73WC03	17.5		73		149				★
C25-4D18-75WC03	18		75		151				★
C25-4D18.5-77WC03	18.5		77		152				★
C25-4D19-79WC03	19	25	79	56	154	WC__030208	M2.5x6	T8	★
C25-4D19.5-81WC03	19.5		81		155				★
C25-4D20-83WC03	20		83		157				★
C25-4D20.5-85WC03	20.5		85		159				★
C25-4D21-87WC04	21	25	87	56	160	WC__040208	M2.5x7D	T8	★
C25-4D21.5-89WC04	21.5		89		162				★
C25-4D22-91WC04	22		91		164				★
C25-4D22.5-93WC04	22.5		93		166				★
C25-4D23-95WC04	23		95		168				★
C25-4D23.5-97WC04	23.5	32	97	60	169	WC__050308	M3x8	T10	★
C25-4D24-99WC04	24		99		172				★
C25-4D24.5-101WC04	24.5		101		173				★
C25-4D25-103WC05	25		103		175				★
C32-4D25.5-105WC05	25.5		105		188	WC__06T308	M3.5x9	T15	★
C32-4D26-107WC05	26	32	107	60	189				★
C32-4D26.5-109WC05	26.5		109		191				★
C32-4D27-111WC05	27		111		192				★
C32-4D27.5-113WC05	27.5		113		194				★
C32-4D28-115WC05	28	32	115	60	196	WC__06T308	M3.5x9	T15	★
C32-4D28.5-117WC05	28.5		117		197				★
C32-4D29-120WC05	29		120		200				★
C32-4D29.5-122WC05	29.5		122		201				★
C32-4D30-124WC05	30		124		203				★
C32-4D30.5-126WC05	30.5	32	126	60	205	WC__06T308	M3.5x9	T15	★
C32-4D31-128WC06	31		128		212				★
C32-4D31.5-130WC06	31.5		130		214				★
C32-4D32-132WC06	32		132		215				★
C32-4D32.5-134WC06	32.5		134		216				★
C32-4D33-136WC06	33	32	136	60	218	WC__06T308	M3.5x9	T15	★
C32-4D33.5-138WC06	33.5		138		219				★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-4D34-140WC06	34	32	140	60	224	WC__06T308	M3.5x9	T15	★
C32-4D34.5-142WC06	34.5		142		225				★
C32-4D35-144WC06	35		144		227				★
C32-4D35.5-146WC06	35.5		146		228				★
C32-4D36-148WC06	36		148		233				★
C32-4D36.5-150WC06	36.5		150		234				★
C32-4D37-153WC06	37		153		237				★
C32-4D37.5-155WC06	37.5		155		238				★
C32-4D38-157WC06	38		157		240				★
C32-4D38.5-159WC06	38.5		159		242				★
C32-4D39-161WC06	39	40	161	70	244	WC__080412	M4x10	T15	★
C32-4D39.5-163WC06	39.5		163		246				★
C40-4D40-165WC06	40		165		261				★
C40-4D41-169WC06	41		169		265				★
C40-4D42-173WC08	42		173		269				★
C40-4D43-177WC08	43		177		273				★
C40-4D44-181WC08	44		181		277				★
C40-4D45-185WC08	45		185		281				★
C40-4D46-189WC08	46		189		285				★
C40-4D47-193WC08	47		193		289				★
C40-4D48-197WC08	48	40	197	70	293	WC__06T308	M3.5x9	T15	★
C40-4D49-201WC08	49		201		297				★
C40-4D50-205WC08	50		205		301				★
C40-4D51-209WC08	51		209		305				★
C40-4D52-213WC08	52		213		309				★
C40-4D53-217WC08	53		217		313				★
C40-4D54-221WC08	54		221		317				★
C40-4D55-225WC08	55		225		321				★
C40-4D56-232WC08	56		232		332				☆
C40-4D57-236WC08	57		236		336				☆
C40-4D58-240WC08	58	40	240	70	340	WC__06T308	M3.5x9	T15	☆
C40-4D59-244WC08	59		244		344				☆
C40-4D55-225WC06	55		225		321				★
C40-4D56-232WC06	56		232		332				★
C40-4D57-236WC06	57		236		336				★
C40-4D58-240WC06	58		240		340				★
C40-4D59-244WC06	59		244		344				★
C40-4D60-248WC06	60		248		348				★
C40-4D61-254WC06	61		254		354				★
C40-4D62-258WC06	62		258		358				★
C40-4D63-262WC06	63	40	262	70	362	WC__06T308	M3.5x9	T15	★
C40-4D64-266WC06	64		266		366				★
C40-4D65-270WC06	65		270		370				★
C40-4D66-274WC06	66		274		374				★
C40-4D67-278WC06	67		278		378				★
C40-4D68-282WC06	68		282		382				★
C40-4D69-286WC06	69		286		386				★
C40-4D70-290WC06	70		290		390				★
C40-4D71-294WC06	71		294		394				★
C40-4D72-298WC06	72		298		398				★
C40-4D73-302WC06	73	40	302	70	402	WC__06T308	M3.5x9	T15	★
C40-4D74-306WC06	74		306		406				★
C40-4D75-310WC06	75		310		410				★
C40-4D76-314WC06	76		314		414				★
C40-4D77-318WC06	77		318		418				★
C40-4D78-322WC06	78		322		422				★
C40-4D79-326WC06	79		326		426				★
C40-4D80-330WC06	80		330		430				★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D14-73WC03	14		73		143	WC__030208	M2.5x5	T8	★
C20-5D14.5-76WC03	14.5		76		145				★
C20-5D15-78WC03	15		78		147				★
C20-5D15.5-81WC03	15.5		81		149				★
C20-5D16-83WC03	16	20	83	50	151				★
C20-5D16.5-86WC03	16.5		86		153				★
C20-5D17-88WC03	17		88		155	WC__030208	M2.5x6	T8	★
C20-5D17.5-91WC03	17.5		91		158				★
C20-5D18-93WC03	18		93		159				★
C20-5D18.5-96WC03	18.5		96		162				★
C20-5D19-98WC03	19	20	98	50	163				★
C20-5D19.5-101WC03	19.5		101		166				★
C20-5D20-103WC03	20		103		167	WC__040208	M2.5x7D	T8	★
C20-5D20.5-106WC03	20.5		106		170				★
C20-5D21-108WC04	21		108		171				★
C20-5D21.5-111WC04	21.5		111		174				★
C20-5D22-113WC04	22		113		176				★
C20-5D22.5-116WC04	22.5		116		183				★
C20-5D23-118WC04	23	20	118	50	184	WC__040208	M2.5x7D	T8	★
C20-5D23.5-121WC04	23.5		121		186				★
C20-5D24-123WC04	24		123		187				★
C20-5D24.5-126WC04	24.5		126		191				★
C20-5D25-128WC05	25		128		192	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-5D14-73WC03	14		73		150	WC__030208	M2.5x5	T8	★
C25-5D14.5-76WC03	14.5		76		153				★
C25-5D15-78WC03	15		78		155				★
C25-5D15.5-81WC03	15.5		81		157				★
C25-5D16-83WC03	16	25	83	56	159				★
C25-5D16.5-86WC03	16.5		86		161				★
C25-5D17-88WC03	17		88		147	WC__030208	M2.5x6	T8	★
C25-5D17.5-91WC03	17.5		91		167				★
C25-5D18-93WC03	18		93		169				★
C25-5D18.5-96WC03	18.5		96		171				★
C25-5D19-98WC03	19	25	98	56	173				★
C25-5D19.5-101WC03	19.5		101		175	WC__040208	M2.5x7D	T8	★
C25-5D20-103WC03	20		103		177				★
C25-5D20.5-106WC03	20.5		106		180				★
C25-5D21-108WC04	21		108		181				★
C25-5D21.5-111WC04	21.5		111		184				★
C25-5D22-113WC04	22		113		186	WC__040208	M2.5x7D	T8	★
C25-5D22.5-116WC04	22.5		116		189				★
C25-5D23-118WC04	23	25	118	56	191				★
C25-5D23.5-121WC04	23.5		121		193				★
C25-5D24-123WC04	24		123		196				★
C25-5D24.5-126WC04	24.5		126		198	WC__050308	M3x8	T10	★
C25-5D25-128WC05	25		128		200				★
C32-5D25.5-131WC05	25.5		131		214				★
C32-5D26-133WC05	26		133		215				★
C32-5D26.5-136WC05	26.5		136		218				★
C32-5D27-138WC05	27		138		219	WC__050308	M3x8	T10	★
C32-5D27.5-141WC05	27.5		141		222				★
C32-5D28-143WC05	28	32	143	60	224				★
C32-5D28.5-146WC05	28.5		146		226				★
C32-5D29-149WC05	29		149		229				★
C32-5D29.5-151WC05	29.5		151		231	WC__06T308	M3.5x9	T15	★
C32-5D30-154WC05	30		154		233				★
C32-5D30.5-157WC05	30.5		157		236				★
C32-5D31-159WC06	31		159		243				★
C32-5D31.5-162WC06	31.5		162		246				★
C32-5D32-164WC06	32	32	164	60	247	WC__06T308	M3.5x9	T15	★
C32-5D32.5-167WC06	32.5		167		249				★
C32-5D33-169WC06	33		169		251				★
C32-5D33.5-172WC06	33.5		172		253				★
C32-5D34-174WC06	34		174		258				★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-5D34.5-177WC06	34.5	32	177	60	260	WC__06T308	M3.5x9	T15	★
C32-5D35-179WC06	35		179		262				★
C32-5D35.5-182WC06	35.5		182		264				★
C32-5D36-184WC06	36		184		269				★
C32-5D36.5-187WC06	36.5		187		270				★
C32-5D37-190WC06	37		190		274				★
C32-5D37.5-193WC06	37.5		193		276				★
C32-5D38-195WC06	38		195		278				★
C32-5D38.5-198WC06	38.5		198		281				★
C32-5D39-200WC06	39		200		283				★
C32-5D39.5-203WC06	39.5		203		286				★
C40-5D40-205WC06	40	40	205	70	301	WC__080412	M4x10		★
C40-5D41-210WC06	41		210		306				★
C40-5D42-220WC08	42		220		311				★
C40-5D43-225WC08	43		225		316				★
C40-5D44-230WC08	44		230		321				★
C40-5D45-235WC08	45		235		326				★
C40-5D46-240WC08	46		240		331				★
C40-5D47-245WC08	47		245		336				★
C40-5D48-250WC08	48		250		341				★
C40-5D49-255WC08	49		255		346				★
C40-5D50-260WC08	50	40	260	70	351	WC__06T308	M3.5x9	T15	★
C40-5D51-265WC08	51		265		356				★
C40-5D52-270WC08	52		270		361				★
C40-5D53-275WC08	53		275		366				★
C40-5D54-280WC08	54		280		371				★
C40-5D55-285WC08	55		285		376				★
C40-5D56-290WC08	56		290		388				★
C40-5D57-295WC08	57		295		393				☆
C40-5D58-300WC08	58		300		398				☆
C40-5D59-305WC08	59		305		403				☆
C40-5D55-285WC06	55	40	285	70	376	WC__06T308	M3.5x9	T15	★
C40-5D56-290WC06	56		290		388				★
C40-5D57-295WC06	57		295		393				★
C40-5D58-300WC06	58		300		398				★
C40-5D59-305WC06	59		305		403				★
C40-5D60-310WC06	60		310		408				★
C40-5D61-315WC06	61		315		415				★
C40-5D62-320WC06	62		320		420				★
C40-5D63-325WC06	63		325		425				★
C40-5D64-330WC06	64		330		430				★
C40-5D65-335WC06	65	40	335	70	435	WC__06T308	M3.5x9	T15	★
C40-5D66-340WC06	66		340		440				★
C40-5D67-345WC06	67		345		445				★
C40-5D68-350WC06	68		350		450				★
C40-5D69-355WC06	69		355		455				★
C40-5D70-360WC06	70		360		460				★
C40-5D71-365WC06	71		365		465				★
C40-5D72-370WC06	72		370		470				★
C40-5D73-375WC06	73		375		475				★
C40-5D74-380WC06	74		380		480				★
C40-5D75-385WC06	75	40	385	70	485	WC__06T308	M3.5x9	T15	★
C40-5D76-390WC06	76		390		490				★
C40-5D77-395WC06	77		395		495				☆
C40-5D78-400WC06	78		400		500				☆
C40-5D79-405WC06	79		405		505				☆
C40-5D80-410WC06	80		410		510				☆

U钻 (U-Drill)

SP型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D12.5-28SP05	12.5	20	28	50	98	SP__050204	M2x5	T6	★
C20-2D13-29SP05	13		29		99				★
C20-2D13.5-30SP05	13.5		30		99				★
C20-2D14-31SP05	14		31		100				★
C20-2D14.5-32SP05	14.5		32		100				★
C20-2D15-33SP05	15	20	33	50	101	SP__060204	M2.5x5	T6	★
C20-2D15.5-34SP06	15.5		34		102				★
C20-2D16-35SP06	16		35		103				★
C20-2D16.5-36SP06	16.5		36		104				★
C20-2D17-37SP06	17		37		105				★
C20-2D17.5-38SP06	17.5		38		106				★
C20-2D18-39SP06	18		39		106				★
C20-2D18.5-40SP06	18.5		40		107				★
C20-2D19-41SP06	19		41		107				★
C20-2D19.5-42SP06	19.5		42		108				★
C20-2D20-43SP06	20	20	43	50	109	SP__07T308	M2.5x7	T8	★
C20-2D20.5-44SP06	20.5		44		110				★
C20-2D21-45SP06	21		45		111				★
C20-2D21.5-46SP06	21.5		46		112				★
C20-2D22-47SP07	22		47		115				★
C20-2D22.5-48SP07	22.5		48		115				★
C20-2D23-49SP07	23		49		116				★
C20-2D23.5-50SP07	23.5		50		116				★
C20-2D24-51SP07	24		51		117				★
C20-2D24.5-52SP07	24.5		52		118				★
C20-2D25-53SP07	25	20	53	50	119	SP__07T308	M2.5x7	T8	★

U钻 (U-Drill)

SP型浅孔钻/U钻 2D SP tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-2D12.5-28SP05	12.5	25	28	56	107	SP__050204	M2x5	T6	★
C25-2D13-29SP05	13		29		107				★
C25-2D13.5-30SP05	13.5		30		108				★
C25-2D14-31SP05	14		31		108				★
C25-2D14.5-32SP05	14.5		32		109				★
C25-2D15-33SP05	15		33		109				★
C25-2D15.5-34SP06	15.5		34		110				★
C25-2D16-35SP06	16		35		111				★
C25-2D16.5-36SP06	16.5		36		111				★
C25-2D17-37SP06	17		37		113				★
C25-2D17.5-38SP06	17.5	25	38	56	114	SP__060204	M2.5x5	T6	★
C25-2D18-39SP06	18		39		114				★
C25-2D18.5-40SP06	18.5		40		115				★
C25-2D19-41SP06	19		41		116				★
C25-2D19.5-42SP06	19.5		42		116				★
C25-2D20-43SP06	20		43		117				★
C25-2D20.5-44SP06	20.5		44		117				★
C25-2D21-45SP06	21		45		118				★
C25-2D21.5-46SP06	21.5		46		118				★
C25-2D22-47SP07	22		47		121				★
C25-2D22.5-48SP07	22.5	25	48	56	121	SP__07T308	M2.5x7	T8	★
C25-2D23-49SP07	23		49		122				★
C25-2D23.5-50SP07	23.5		50		122				★
C25-2D24-51SP07	24		51		123				★
C25-2D24.5-52SP07	24.5		52		123				★
C25-2D25-53SP07	25		53		124				★
C32-2D25.5-54SP07	25.5		54		137				★
C32-2D26-55SP07	26		55		137				★
C32-2D26.5-56SP07	26.5		56		138				★
C32-2D27-57SP07	27		57		139				★
C32-2D27.5-58SP07	27.5	32	58	60	139	SP__090408	M3.5x9	T15	★
C32-2D28-59SP09	28		59		140				★
C32-2D28.5-60SP09	28.5		60		141				★
C32-2D29-62SP09	29		62		142				★
C32-2D29.5-63SP09	29.5		63		143				★
C32-2D30-64SP09	30		64		143				★
C32-2D30.5-65SP09	30.5		65		144				★
C32-2D31-66SP09	31		66		151				★
C32-2D31.5-67SP09	31.5		67		151				★

U钻 (U-Drill)

SP型浅孔钻/U钻 2D SP tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-2D32-68SP09	32	32	68	60	152	SP__090408	M3.5x9	T15	★
C32-2D32.5-69SP09	32.5		69		152				★
C32-2D33-70SP09	33		70		153				★
C32-2D33.5-71SP09	33.5		71		153				★
C32-2D34-72SP11	34		72		156				★
C32-2D34.5-73SP11	34.5		73		156				★
C32-2D35-74SP11	35		74		157				★
C32-2D35.5-75SP11	35.5		75		157				★
C32-2D36-76SP11	36		76		162				★
C32-2D36.5-77SP11	36.5		77		162				★
C32-2D37-79SP11	37	32	79	60	164	SP__110408	M4x10	T15	★
C32-2D37.5-80SP11	37.5		80		164				★
C32-2D38-81SP11	38		81		166				★
C32-2D38.5-82SP11	38.5		82		167				★
C32-2D39-83SP11	39		83		168				★
C32-2D39.5-84SP11	39.5		84		168				★
C40-2D40-85SP11	40		85		181				★
C40-2D41-87SP11	41		87		183				★
C40-2D42-89SP14	42		89		185				★
C40-2D43-91SP14	43		91		187				★
C40-2D44-93SP14	44	40	93	70	189	SP__140512	M5x11	T20	★
C40-2D45-95SP14	45		95		191				★
C40-2D46-97SP14	46		97		193				★
C40-2D47-99SP14	47		99		195				★
C40-2D48-101SP14	48		101		197				★
C40-2D49-103SP14	49		103		199				★
C40-2D50-105SP14	50		105		201				★
C40-2D51-107SP07	51		107		203				★
C40-2D52-109SP07	52		109		205				★
C40-2D53-111SP07	53		111		207	SP__07T308	M2.5x7	T8	★
C40-2D54-113SP07	54		113		209				★
C40-2D55-115SP07	55		115		211				★
C40-2D56-120SP09	56		120		220				★
C40-2D57-122SP09	57		122		222				★
C40-2D58-124SP09	58		124		224				★
C40-2D59-126SP09	59		126		226				★
C40-2D60-128SP09	60		128		228	SP__090408	M3.5x9	T15	★
C40-2D61-132SP09	61		132		232				★
C40-2D62-134SP09	62		134		234				★
C40-2D63-136SP09	63		136		236				★
C40-2D64-138SP09	64		138		238				★
C40-2D65-140SP09	65		140		240				★
C40-2D66-142SP09	66		142		242				★
C40-2D67-144SP11	67		144		244				★
C40-2D68-146SP11	68		146		246	SP__110408	M4x10	T15	★
C40-2D69-148SP11	69		148		248				★
C40-2D70-150SP11	70		150		250				★
C40-2D71-152SP11	71		152		252				★
C40-2D72-154SP11	72		154		254				★
C40-2D73-156SP11	73		156		256				★
C40-2D74-158SP11	74		158		258				★
C40-2D75-160SP11	75		160		260				★
C40-2D76-162SP11	76		162		262				★
C40-2D77-164SP11	77		164		264				★
C40-2D78-166SP11	78	40	166	70	266				★
C40-2D79-168SP11	79		168		268				★
C40-2D80-170SP11	80		170		270				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D12.5-41SP05	12.5	20	41	50	111	SP__050204	M2x5	T6	★
C20-3D13-42SP05	13		42		112				★
C20-3D13.5-44SP05	13.5		44		113				★
C20-3D14-45SP05	14		45		114				★
C20-3D14.5-47SP05	14.5		47		115				★
C20-3D15-48SP05	15		48		116				★
C20-3D15.5-50SP06	15.5	20	50	50	118	SP__060204	M2.2x5	T6	★
C20-3D16-51SP06	16		51		119				★
C20-3D16.5-53SP06	16.5		53		122				★
C20-3D17-54SP06	17		54		122				★
C20-3D17.5-56SP06	17.5	20	56	50	124				★
C20-3D18-57SP06	18		57		124				★
C20-3D18.5-59SP06	18.5		59		126				★
C20-3D19-60SP06	19		60		126				★
C20-3D19.5-62SP06	19.5		62		128				★
C20-3D20-63SP06	20		63		129				★
C20-3D20.5-65SP06	20.5		65		131				★
C20-3D21-66SP06	21		66		132				★
C20-3D21.5-68SP06	21.5		68		134				★
C20-3D22-69SP07	22	20	69	50	137	SP__07T308	M2.5x7	T8	★
C20-3D22.5-71SP07	22.5		71		138				★
C20-3D23-72SP07	23		72		139				★
C20-3D23.5-74SP07	23.5		74		140				★
C20-3D24-75SP07	24		75		141				★
C20-3D24.5-77SP07	24.5		77		143				★
C20-3D25-78SP07	25		78		144				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-3D12.5-41SP05	12.5	25	41	56	120	SP__050204	M2x5	T6	★
C25-3D13-42SP05	13		42		120				★
C25-3D13.5-44SP05	13.5		44		122				★
C25-3D14-45SP05	14		45		122				★
C25-3D14.5-47SP05	14.5		47		124				★
C25-3D15-48SP05	15		48		125				★
C25-3D15.5-50SP06	15.5	25	50	56	126	SP__060204	M2.2x5	T6	★
C25-3D16-51SP06	16		51		127				★
C25-3D16.5-53SP06	16.5		53		129				★
C25-3D17-54SP06	17		54		130				★
C25-3D17.5-56SP06	17.5		56		132				★
C25-3D18-57SP06	18		57		132				★
C25-3D18.5-59SP06	18.5		59		134				★
C25-3D19-60SP06	19		60		135				★
C25-3D19.5-62SP06	19.5		62		136				★
C25-3D20-63SP06	20		63		137				★
C25-3D20.5-65SP06	20.5		65		138				★
C25-3D21-66SP06	21		66		139				★
C25-3D21.5-68SP06	21.5	25	68	56	141	SP__07T308	M2.5x7	T8	★
C25-3D22-69SP07	22		69		142				★
C25-3D22.5-71SP07	22.5		71		143				★
C25-3D23-72SP07	23		72		144				★
C25-3D23.5-74SP07	23.5		74		146				★
C25-3D24-75SP07	24		75		146				★
C25-3D24.5-77SP07	24.5	32	77	60	148				★
C25-3D25-78SP07	25		78		149				★
C32-3D25.5-80SP07	25.5		80		163				★
C32-3D26-81SP07	26		81		163				★
C32-3D26.5-83SP07	26.5		83		165				★
C32-3D27-84SP07	27		84		166				★
C32-3D27.5-86SP07	27.5	32	86	60	167	SP__090408	M3.5x9	T15	★
C32-3D28-87SP09	28		87		168				★
C32-3D28.5-89SP09	28.5		89		169				★
C32-3D29-91SP09	29		91		171				★
C32-3D29.5-93SP09	29.5		93		173				★
C32-3D30-94SP09	30		94		173				★
C32-3D30.5-96SP09	30.5		96		175				★
C32-3D31-97SP09	31		97		182				★
C32-3D31.5-99SP09	31.5		99		183				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-3D32-100SP09	32	32	100	60	184	SP__090408	M3.5x9	T15	★
C32-3D32.5-102SP09	32.5		102		185				★
C32-3D33-103SP09	33		103		185				★
C32-3D33.5-105SP09	33.5		105		186				★
C32-3D34-106SP11	34		106		189				★
C32-3D34.5-108SP11	34.5		108		191				★
C32-3D35-109SP11	35		109		191				★
C32-3D35.5-111SP11	35.5		111		192				★
C32-3D36-112SP11	36		112		198				★
C32-3D36.5-114SP11	36.5		114		199				★
C32-3D37-116SP11	37	32	116	60	200	SP__110408	M4x10	T15	★
C32-3D37.5-118SP11	37.5		118		201				★
C32-3D38-119SP11	38		119		203				★
C32-3D38.5-121SP11	38.5		121		205				★
C32-3D39-122SP11	39		122		206				★
C32-3D39.5-124SP11	39.5		124		208				★
C40-3D40-125SP11	40		125		221				★
C40-3D41-128SP11	41		128		224				★
C40-3D42-131SP14	42		131		227				★
C40-3D43-134SP14	43		134		230				★
C40-3D44-137SP14	44	40	137	70	233	SP__140512	M5x11	T20	★
C40-3D45-140SP14	45		140		236				★
C40-3D46-143SP14	46		143		239				★
C40-3D47-146SP14	47		146		242				★
C40-3D48-149SP14	48		149		245				★
C40-3D49-152SP14	49		152		248				★
C40-3D50-155SP14	50		155		251				★
C40-3D51-158SP07	51		158		254				★
C40-3D52-161SP07	52		161		257				★
C40-3D53-164SP07	53		164		260	SP__07T308	M2.5x7	T8	★
C40-3D54-167SP07	54		167		263				★
C40-3D55-170SP07	55		170		266				★
C40-3D56-173SP09	56		176		276				★
C40-3D57-179SP09	57		179		279				★
C40-3D58-182SP09	58		182		282				★
C40-3D59-185SP09	59		185		285				★
C40-3D60-188SP09	60		188		288				★
C40-3D61-193SP09	61		193		293	SP__090408	M3.5x9	T15	★
C40-3D62-196SP09	62		196		296				★
C40-3D63-199SP09	63		199		299				★
C40-3D64-202SP09	64		202		302				★
C40-3D65-205SP09	65		205		305				★
C40-3D66-208SP09	66	40	208	70	308				★
C40-3D67-211SP11	67		211		311				★
C40-3D68-214SP11	68		214		314				★
C40-3D69-217SP11	69		217		317				★
C40-3D70-220SP11	70		220		320				★
C40-3D71-223SP11	71		223		323				★
C40-3D72-226SP11	72		226		326				★
C40-3D73-229SP11	73		229		329	SP__110408	M4x10	T15	★
C40-3D74-232SP11	74		232		332				★
C40-3D75-235SP11	75		235		335				★
C40-3D76-238SP11	76		238		338				★
C40-3D77-241SP11	77		241		341				★
C40-3D78-244SP11	78		244		344				★
C40-3D79-247SP11	79		247		347				★
C40-3D80-250SP11	80		250		350				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D12.5-53SP05	12.5	20	53	50	123	SP__050204	M2x5	T6	★
C20-4D13-55SP05	13		55		125				★
C20-4D13.5-57SP05	13.5		57		126				★
C20-4D14-59SP05	14		59		128				★
C20-4D14.5-61SP05	14.5		61		129				★
C20-4D15-63SP05	15		63		131				★
C20-4D15.5-65SP06	15.5		65		133	SP__060204	M2.2x5	T6	★
C20-4D16-67SP06	16		67		135				★
C20-4D16.5-69SP06	16.5		69		137				★
C20-4D17-71SP06	17		71		139				★
C20-4D17.5-73SP06	17.5		73		141				★
C20-4D18-75SP06	18		75		142				★
C20-4D18.5-77SP06	18.5		77		144				★
C20-4D19-79SP06	19		79		145				★
C20-4D19.5-81SP06	19.5		81		147				★
C20-4D20-83SP06	20	20	83	50	149	SP__07T308	M2.5x7	T8	★
C20-4D20.5-85SP06	20.5		85		151				★
C20-4D21-87SP06	21		87		153				★
C20-4D21.5-89SP06	21.5		89		155				★
C20-4D22-91SP07	22		91		159				★
C20-4D22.5-93SP07	22.5		93		160				★
C20-4D23-95SP07	23		95		162				★
C20-4D23.5-97SP07	23.5		97		163				★
C20-4D24-99SP07	24		99		165				★
C20-4D24.5-101SP07	24.5		101		167				★
C20-4D25-103SP07	25		103		169				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-4D12.5-53SP05	12.5	25	53	56	132	SP__050204	M2x5	T6	★
C25-4D13-55SP05	13		55		133				★
C25-4D13.5-57SP05	13.5		57		135				★
C25-4D14-59SP05	14		59		136				★
C25-4D14.5-61SP05	14.5		61		138				★
C25-4D15-63SP05	15		63		140				★
C25-4D15.5-65SP06	15.5		65		141				★
C25-4D16-67SP06	16		67		143				★
C25-4D16.5-69SP06	16.5		69		145	SP__060204	M2.2x5	T6	★
C25-4D17-71SP06	17		71		147				★
C25-4D17.5-73SP06	17.5		73		149				★
C25-4D18-75SP06	18		75		150				★
C25-4D18.5-77SP06	18.5		77		152				★
C25-4D19-79SP06	19		79		154				★
C25-4D19.5-81SP06	19.5		81		155				★
C25-4D20-83SP06	20		83		157				★
C25-4D20.5-85SP06	20.5		85		158	SP__07T308	M2.5x7	T8	★
C25-4D21-87SP06	21		87		160				★
C25-4D21.5-89SP06	21.5		89		162				★
C25-4D22-91SP07	22		91		164				★
C25-4D22.5-93SP07	22.5		93		166				★
C25-4D23-95SP07	23		95		167				★
C25-4D23.5-97SP07	23.5		97		169				★
C25-4D24-99SP07	24		99		170				★
C25-4D24.5-101SP07	24.5		101		172				★
C25-4D25-103SP07	25		103		174				★
C32-4D25.5-105SP07	25.5	32	105	60	188				★
C32-4D26-107SP07	26		107		189				★
C32-4D26.5-109SP07	26.5		109		191				★
C32-4D27-111SP07	27		111		192				★
C32-4D27.5-113SP07	27.5		113		194				★
C32-4D28-115SP09	28		115		196	SP__090408	M3.5x8	T15	★
C32-4D28.5-117SP09	28.5		117		197				★
C32-4D29-120SP09	29		120		200				★
C32-4D29.5-122SP09	29.5		122		202				★
C32-4D30-124SP09	30		124		203				★
C32-4D30.5-126SP09	30.5		126		205				★
C32-4D31-128SP09	31		128		213				★
C32-4D31.5-130SP09	31.5		130		214				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-4D32-132SP09	32	32	132	60	216	SP__090408	M3.5x9	T15	★
C32-4D32.5-134SP09	32.5		134		217				★
C32-4D33-136SP09	33		136		218				★
C32-4D33.5-138SP09	33.5		138		219				★
C32-4D34-140SP11	34		140		223	SP__110408	M4x10	T15	★
C32-4D34.5-142SP11	34.5		142		225				★
C32-4D35-144SP11	35		144		226				★
C32-4D35.5-146SP11	35.5		146		227				★
C32-4D36-148SP11	36		148		234				★
C32-4D36.5-150SP11	36.5		150		235				★
C32-4D37-152SP11	37		153		237				★
C32-4D37.5-155SP11	37.5		155		238				★
C32-4D38-157SP11	38		157		241				★
C32-4D38.5-159SP11	38.5		159		243				★
C32-4D39-161SP11	39		161		245				★
C32-4D39.5-163SP11	39.5		163		247				★
C40-4D40-165SP11	40	40	165	70	261	SP__140512	M5x11	T20	★
C40-4D41-169SP11	41		169		265				★
C40-4D42-173SP14	42		173		269				★
C40-4D43-177SP14	43		177		273				★
C40-4D44-181SP14	44		181		277				★
C40-4D45-185SP14	45		185		281				★
C40-4D46-189SP14	46		189		285				★
C40-4D47-193SP14	47		193		289	SP__090408	M3.5x8	T15	★
C40-4D48-197SP14	48	40	197	70	283				★
C40-4D49-201SP14	49		201		297				★
C40-4D50-205SP14	50		205		301				★
C40-4D51-209SP07	51		209		305	SP__07T308	M2.5x7	T8	★
C40-4D52-213SP07	52		213		309				★
C40-4D53-217SP07	53		217		313				★
C40-4D54-221SP07	54		221		317				★
C40-4D55-225SP07	55		225		321				★
C40-4D56-232SP09	56		232		332	SP__090408	M3.5x8	T15	★
C40-4D57-236SP09	57		236		336				★
C40-4D58-240SP09	58		240		340				★
C40-4D59-244SP09	59		244		344				★
C40-4D60-248SP09	60		248		348				★
C40-4D61-254SP09	61		254		354	SP__110408	M4x10	T15	★
C40-4D62-258SP09	62		258		358				★
C40-4D63-262SP09	63		262		362				★
C40-4D64-266SP09	64		266		366				★
C40-4D65-270SP09	65		270		370				★
C40-4D66-274SP09	66		274		374				★
C40-4D67-278SP11	67		278		378				★
C40-4D68-282SP11	68		282		382				★
C40-4D69-286SP11	69		286		386				★
C40-4D70-290SP11	70		290		390				★
C40-4D71-294SP11	71		294		394				★
C40-4D72-298SP11	72		298		398				★
C40-4D73-302SP11	73		302		402				★
C40-4D74-306SP11	74		306		406				★
C40-4D75-310SP11	75		310		410				★
C40-4D76-314SP11	76		314		414				★
C40-4D77-318SP11	77		318		418				★
C40-4D78-322SP11	78		322		422				★
C40-4D79-326SP11	79		326		426				★
C40-4D80-330SP11	80		330		430				★

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D12.5-66SP05	12.5	20	66	50	136	SP__050204	M2x5	T6	★
C20-5D13-68SP05	13		68		138				★
C20-5D13.5-71SP05	13.5		71		140				★
C20-5D14-73SP05	14		73		142				★
C20-5D14.5-76SP05	14.5		76		144				★
C20-5D15-78SP05	15		78		146				★
C20-5D15.5-81SP06	15.5		81		149	SP__060204	M2.2x5	T6	★
C20-5D16-83SP06	16		83		151				★
C20-5D16.5-86SP06	16.5		86		154				★
C20-5D17-88SP06	17		88		156				★
C20-5D17.5-91SP06	17.5		91		159				★
C20-5D18-93SP06	18		93		160				★
C20-5D18.5-96SP06	18.5		96		163				★
C20-5D19-98SP06	19		98		164				★
C20-5D19.5-101SP06	19.5		101		167				★
C20-5D20-103SP06	20		103		169				★
C20-5D20.5-106SP06	20.5		106		172	SP__07T308	M2.5x7	T8	★
C20-5D21-108SP06	21		108		174				★
C20-5D21.5-111SP06	21.5		111		177				★
C20-5D22-113SP07	22		113		181				★
C20-5D22.5-116SP07	22.5		116		183				★
C20-5D23-118SP07	23		118		185				★
C20-5D23.5-121SP07	23.5		121		187				★
C20-5D24-123SP07	24		123		189				★
C20-5D24.5-126SP07	24.5		126		192				★
C20-5D25-128SP07	25		128		194				★

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock	
C25-5D12.5-66SP05	12.5	25	66	56	144	SP__050204	M2x5	T6	★	
C25-5D13-68SP05	13		68		146				★	
C25-5D13.5-71SP05	13.5		71		149				★	
C25-5D14-73SP05	14		73		150				★	
C25-5D14.5-76SP05	14.5		76		153				★	
C25-5D15-78SP05	15		78		155				★	
C25-5D15.5-81SP06	15.5		81		157	SP__060204	M2.2x5	T6	★	
C25-5D16-83SP06	16		83		159				★	
C25-5D16.5-86SP06	16.5		86		161				★	
C25-5D17-88SP06	17		88		164				★	
C25-5D17.5-91SP06	17.5		91		167				★	
C25-5D18-939SP06	18		93		168				★	
C25-5D18.5-96SP06	18.5		96		171				★	
C25-5D19-98SP06	19		98		173				★	
C25-5D19.5-101SP06	19.5		101		175				★	
C25-5D20-103SP06	20		103		177				★	
C25-5D20.5-106SP06	20.5		106		179	SP__07T308	M2.5x7	T8	★	
C25-5D21-108SP06	21		108		181				★	
C25-5D21.5-111SP06	21.5		111		184				★	
C25-5D22-113SP07	22		113		186				★	
C25-5D22.5-116SP07	22.5		116		189				★	
C25-5D23-118SP07	23		118		190				★	
C25-5D23.5-121SP07	23.5		121		193				★	
C25-5D24-123SP07	24		123		194				★	
C25-5D24.5-126SP07	24.5		126		197				★	
C25-5D25-128SP07	25		128		199	SP__090408	M3.5x9	T15	★	
C32-5D25.5-131SP07	25.5	32	131	60	214				★	
C32-5D26-133SP07	26		133		215				★	
C32-5D26.5-136SP07	26.5		136		218				★	
C32-5D27-138SP07	27		138		219				★	
C32-5D27.5-141SP07	27.5		141		222				★	
C32-5D28-143SP09	28		143		224	SP__090408	M3.5x9		T15	★
C32-5D28.5-146SP09	28.5	32	146	60	226					★
C32-5D29-149SP09	29		149		229					★
C32-5D29.5-152SP09	29.5		152		231					★
C32-5D30-154SP09	30		154		233					★
C32-5D30.5-157SP09	30.5		157		236					★
C32-5D31-159SP09	31	32	159	60	244	★				
C32-5D31.5-162SP09	31.5		162		246	★				
C32-5D32-164SP09	32		164		248	SP__090408	M3.5x9	T15	★	
C32-5D32.5-167SP09	32.5		167		250				★	
C32-5D33-169SP09	33		169		251				★	
C32-5D33.5-172SP09	33.5	172	253	★						

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D


钻削深度(Drilling depth): 5xD



规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-5D34-174SP11	34	32	174	60	257	SP__110408	M4x10	T15	★
C32-5D34.5-177SP11	34.5		177		260				★
C32-5D35-179SP11	35		179		261				★
C32-5D35.5-182SP11	35.5		182		263				★
C32-5D36-184SP11	36		184		270				★
C32-5D36.5-187SP11	36.5		187		272				★
C32-5D37-190SP11	37		190		274				★
C32-5D37.5-193SP11	37.5		193		276				★
C32-5D38-195SP11	38		195		279				★
C32-5D38.5-198SP11	38.5		198		282				★
C32-5D39-200SP11	39	40	200	70	284	SP__140512	M5x11	T20	★
C32-5D39.5-203SP11	39.5		203		287				★
C40-5D40-205SP11	40		205		301				★
C40-5D41-210SP11	41		210		306				★
C40-5D42-215SP14	42		215		311				★
C40-5D43-220SP14	43		220		316				★
C40-5D44-225SP14	44		225		321				★
C40-5D45-230SP14	45		230		326				★
C40-5D46-235SP14	46		235		331				★
C40-5D47-240SP14	47		240		336				★
C40-5D48-245SP14	48	40	245	70	341	SP__07T308	M2.5x7	T8	★
C40-5D49-250SP14	49		250		346				★
C40-5D50-255SP14	50		255		351				★
C40-5D51-260SP07	51		260		356				★
C40-5D52-265SP07	52		265		361				★
C40-5D53-270SP07	53		270		366				★
C40-5D54-275SP07	54		275		371				★
C40-5D55-280SP07	55		280		376				★
C40-5D56-285SP09	56		285		388	SP__090408	M3.5x9	T15	★
C40-5D57-290SP09	57		290		393				★
C40-5D58-295SP09	58		295		398				★
C40-5D59-300SP09	59		300		403				★
C40-5D60-305SP09	60		305		408				★

U钻 (U-Drill)

WC型浅孔钻/U钻 小孔径 WC tyge U-drill Small Diameter



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D10-22WC02	10	20	22	50	88	WC__020104	M1.8x4	T6	★
C20-2D10.5-23WC02	10.5		23		89				★
C20-2D11-24WC02	11		24		90				★
C20-2D11.5-25WC02	11.5		25		91				★
C20-2D12-26WC02	12		26		92				★
C20-2D12.5-27WC02	12.5		27		95				★
C20-2D13-28WC02	13		28		96				★
C20-2D13.5-29WC02	13.5		29		96				★


规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D10-32WC02	10	20	32	50	98	WC__020104	M1.8x4	T6	★
C20-3D10.5-34WC02	10.5		34		100				★
C20-3D11-35WC02	11		35		101				★
C20-3D11.5-37WC02	11.5		37		103				★
C20-3D12-38WC02	12		38		104				★
C20-3D12.5-40WC02	12.5		40		108				★
C20-3D13-41WC02	13		41		109				★
C20-3D13.5-43WC02	13.5		43		110				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D10-42WC02	10	20	42	50	108	WC__020104	M1.8x4	T6	★
C20-4D10.5-44WC02	10.5		44		110				★
C20-4D11-46WC02	11		46		112				★
C20-4D11.5-48WC02	11.5		48		114				★
C20-4D12-50WC02	12		50		116				★
C20-4D12.5-52WC02	12.5		52		120				★
C20-4D13-54WC02	13		54		122				★
C20-4D13.5-56WC02	13.5		56		123				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D10-52WC02	10	20	52	50	118	WC__020104	M1.8x4	T6	☆
C20-5D10.5-55WC02	10.5		55		121				☆
C20-5D11-57WC02	11		57		123				☆
C20-5D11.5-60WC02	11.5		60		126				☆
C20-5D12-62WC02	12		62		128				☆

U钻 (U-Drill)

SO型浅孔钻/U钻 小孔径 SO type U-drill Small Diameter



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D08-18SO03	8	20	18	50	86	SO__030102	M1.8x3.6	T6	★
C20-2D8.5-19SO03	8.5		19		87				★
C20-2D09-20SO03	9		20		88				★
C20-2D9.5-21SO03	9.5		21		88				★
C20-2D10-22SO04	10		22		89	SO__040202	M1.8x4		★
C20-2D10.5-23SO04	10.5		23		90				★
C20-2D11-24SO04	11		24		90				★
C20-2D11.5-25SO04	11.5		25		91				★
C20-2D12-26SO04	12		26		92				★


规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D08-26SO03	8	20	26	50	94	SO__030102	M1.8x3.6	T6	★
C20-3D8.5-28SO03	8.5		28		96				★
C20-3D09-29SO03	9		29		96				★
C20-3D9.5-31SO03	9.5		31		98				★
C20-3D10-32SO04	10		32		98	SO__040202	M1.8x4		★
C20-3D10.5-34SO04	10.5		34		100				★
C20-3D11-35SO04	11		35		101				★
C20-3D11.5-37SO04	11.5		37		103				★
C20-3D12-38SO04	12		38		104				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D08-34SO03	8	20	34	50	102	SO__030102	M1.8x3.6	T6	★
C20-4D8.5-36SO03	8.5		36		104				★
C20-4D09-38SO03	9		38		105				★
C20-4D9.5-40SO03	9.5		40		107				★
C20-4D10-42SO04	10		42		108	SO__040202	M1.8x4		★
C20-4D10.5-44SO04	10.5		44		110				★
C20-4D11-46SO04	11		46		112				★
C20-4D11.5-48SO04	11.5		48		114				★
C20-4D12-50SO04	12		50		116				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D10-52SO04	10	20	52	50	118	SO__040202	M1.8x4	T6	★
C20-5D10.5-55SO04	10.5		55		121				★
C20-5D11-57SO04	11		57		123				★
C20-5D11.5-60SO04	11.5		60		126				★
C20-5D12-62SO04	12		62		128				★

多功能钻头 (Multifunctional drill bit)


TCAP多功能钻头 2.25D TCAP type multifunctional drill bit 2.25D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
TCAP 10R/L-2.25-C20	10	20	22.5	50	89.5	XCMT050204	M2.0*5	T6	★
TCAP 12R/L-2.25-C20	12	20	27	50	94	XCMT060204	M2.2*5	T6	★
TCAP 14R/L-2.25-C20	14	20	31.5	50	98	XCMT070304	M2.5*6	T8	★
TCAP 16R/L-2.25-C20	16	20	36	50	101	XCMT080304	M3.0*8	T10	★
TCAP 20R/L-2.25-C25	20	25	45	56	118	XCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


TCAP多功能钻头 3D TCAP type multifunctional drill bit 3D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
TCAP 10R/L-3D-C20	10	20	30	50	97	XCMT050204	M2.0*5	T6	★
TCAP 12R/L-3D-C20	12	20	36	50	103	XCMT060204	M2.2*5	T6	★
TCAP 14R/L-3D-C20	14	20	42	50	108.5	XCMT070304	M2.5*6	T8	★
TCAP 16R/L-3D-C20	16	20	48	50	113	XCMT080304	M3.0*8	T10	★
TCAP 20R/L-3D-C25	20	25	60	56	133	XCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


SF型多功能钻头 2.5D SF type multifunctional drill bit 2.5D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
SF-10R/L-2.5D-C16	10	16	25	50	83	QCMT050204	M2.0*5	T6	★
SF-12R/L-2.5D-C16	12	16	30	50	88	QCMT060204	M2.2*5	T6	★
SF-14R/L-2.5D-C16	14	16	35	50	92	QCMT070304	M2.5*6	T8	★
SF-16R/L-2.5D-C20	16	20	40	50	105	QCMT080304	M3.0*8	T10	★
SF-20R/L-2.5D-C25	20	25	50	56	123	QCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


SF型多功能钻头 3.25D SF type multifunctional drill bit 3.25D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
SF-10R-3.25D-C16	10	16	32.5	50	91	QCMT050204	M2.0*5	T6	★
SF-12R-3.25D-C16	12	16	39	50	97	QCMT060204	M2.2*5	T6	★
SF-14R-3.25D-C16	14	16	45.5	50	101	QCMT070304	M2.5*6	T8	★
SF-16R-3.25D-C16	16	20	52	50	117	QCMT080304	M3.0*8	T10	★
SF-20R-3.25D-C25	20	25	65	56	138	QCMT10T304	M3.5*9	T15	★

皇冠钻(JCD- Drill)


JCD皇冠钻-3D JCD-Drill-3D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-3D	10	30	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-3D	11	33	24	20	□CD-11.0-11.9			★
JCD C20-120-3D	12	36	24	20	□CD-12.0-12.9			★
JCD C20-130-3D	13	39	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-3D	14	42	24	20	□CD-14.0-14.9			★
JCD C20-150-3D	15	45	24	20	□CD-15.0-15.9			★
JCD C20-160-3D	16	48	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-3D	17	51	24	20	□CD-17.0-17.9			★
JCD C20-180-3D	18	54	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-3D	19	57	29	25	□CD-19.0-19.9			★
JCD C25-200-3D	20	60	29	25	□CD-20.0-20.9	CM3*19.7	T10	★
JCD C25-210-3D	21	63	29	25	□CD-21.0-21.9			★
JCD C25-220-3D	22	66	29	25	□CD-22.0-22.9			★
JCD C25-230-3D	23	69	29	25	□CD-23.0-23.9	CM3.5*22.5	T15	★
JCD C32-240-3D	24	72	39	32	□CD-24.0-24.9			★
JCD C32-250-3D	25	75	39	32	□CD-25.0-25.9	CM3.5*24	T15	★
JCD C32-260-3D	26	78	39	32	□CD-26.0-26.9			☆
JCD C32-270-3D	27	81	39	32	□CD-27.0-27.9	CM4*25.5	T15	☆
JCD C32-280-3D	28	84	39	32	□CD-28.0-28.9			☆
JCD C32-290-3D	29	87	39	32	□CD-29.0-29.9	CM5*27.5	T20	☆
JCD C32-300-3D	30	90	39	32	□CD-30.0-30.9			☆
JCD C32-310-3D	31	93	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-5D JCD-Drill-5D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-5D	10	50	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-5D	11	55	24	20	□CD-11.0-11.9			★
JCD C20-120-5D	12	60	24	20	□CD-12.0-12.9			★
JCD C20-130-5D	13	65	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-5D	14	70	24	20	□CD-14.0-14.9			★
JCD C20-150-5D	15	75	24	20	□CD-15.0-15.9			★
JCD C20-160-5D	16	80	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-5D	17	85	24	20	□CD-17.0-17.9			★
JCD C20-180-5D	18	90	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-5D	19	95	29	25	□CD-19.0-19.9			★
JCD C25-200-5D	20	100	29	25	□CD-20.0-20.9			★
JCD C25-210-5D	21	105	29	25	□CD-21.0-21.9	CM3*19.7	T10	★
JCD C25-220-5D	22	110	29	25	□CD-22.0-22.9			★
JCD C25-230-5D	23	115	29	25	□CD-23.0-23.9			★
JCD C32-240-5D	24	120	39	32	□CD-24.0-24.9	CM3.5*22.5	T15	★
JCD C32-250-5D	25	125	39	32	□CD-25.0-25.9			★
JCD C32-260-5D	26	130	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-5D	27	135	39	32	□CD-27.0-27.9			☆
JCD C32-280-5D	28	140	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-5D	29	145	39	32	□CD-29.0-29.9			☆
JCD C32-300-5D	30	150	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-5D	31	155	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-8D JCD-Drill-8D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-8D	10	80	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-8D	11	88	24	20	□CD-11.0-11.9			★
JCD C20-120-8D	12	96	24	20	□CD-12.0-12.9			★
JCD C20-130-8D	13	104	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-8D	14	112	24	20	□CD-14.0-14.9			★
JCD C20-150-8D	15	120	24	20	□CD-15.0-15.9			★
JCD C20-160-8D	16	128	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-8D	17	136	24	20	□CD-17.0-17.9			★
JCD C20-180-8D	18	144	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-8D	19	152	29	25	□CD-19.0-19.9			★
JCD C25-200-8D	20	160	29	25	□CD-20.0-20.9			★
JCD C25-210-8D	21	168	29	25	□CD-21.0-21.9	CM3*19.7	T10	★
JCD C25-220-8D	22	176	29	25	□CD-22.0-22.9			★
JCD C25-230-8D	23	184	29	25	□CD-23.0-23.9			★
JCD C32-240-8D	24	192	39	32	□CD-24.0-24.9	CM3.5*22.5	T15	★
JCD C32-250-8D	25	200	39	32	□CD-25.0-25.9			★
JCD C32-260-8D	26	208	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-8D	27	216	39	32	□CD-27.0-27.9			☆
JCD C32-280-8D	28	224	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-8D	29	232	39	32	□CD-29.0-29.9			☆
JCD C32-300-8D	30	240	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-8D	31	248	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-10 JCD-Drill-10D





规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-10D	10	100	24	20	□CD-10.0-10.9	CM2.2*9	T6	☆
JCD C20-110-10D	11	110	24	20	□CD-11.0-11.9			☆
JCD C20-120-10D	12	120	24	20	□CD-12.0-12.9			☆
JCD C20-130-10D	13	130	24	20	□CD-13.0-13.9	CM2.5*12	T8	☆
JCD C20-140-10D	14	140	24	20	□CD-14.0-14.9			☆
JCD C20-150-10D	15	150	24	20	□CD-15.0-15.9			☆
JCD C20-160-10D	16	160	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	☆
JCD C20-170-10D	17	170	24	20	□CD-17.0-17.9			☆
JCD C20-180-10D	18	180	24	20	□CD-18.0-18.9	CM3*16.5	T10	☆
JCD C25-190-10D	19	190	29	25	□CD-19.0-19.9			☆
JCD C25-200-10D	20	200	29	25	□CD-20.0-20.9			☆
JCD C25-210-10D	21	210	29	25	□CD-21.0-21.9	CM3*19.7	T10	☆
JCD C25-220-10D	22	220	29	25	□CD-22.0-22.9			☆
JCD C25-230-10D	23	230	29	25	□CD-23.0-23.9			☆
JCD C32-240-10D	24	240	39	32	□CD-24.0-24.9	CM3.5*22.5	T15	☆
JCD C32-250-10D	25	250	39	32	□CD-25.0-25.9			☆
JCD C32-260-10D	26	260	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-10D	27	270	39	32	□CD-27.0-27.9			☆
JCD C32-280-10D	28	280	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-10D	29	290	39	32	□CD-29.0-29.9			☆
JCD C32-300-10D	30	300	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-10D	31	310	39	32	□CD-31.0-32.0			☆

HCD

皇冠钻刀片-HCD





规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 100	10	3	138	★
HCD 101	10.1	3	138	★
HCD 102	10.2	3	138	★
HCD 103	10.3	3	138	★
HCD 104	10.4	3	138	★
HCD 105	10.5	3	138	★
HCD 106	10.6	3	138	★
HCD 107	10.7	3	138	★
HCD 108	10.8	3	138	★
HCD 109	10.9	3	138	★
HCD 110	11	3	138	★
HCD 111	11.1	3	138	★
HCD 112	11.2	3	138	★
HCD 113	11.3	3	138	★
HCD 114	11.4	3	138	★
HCD 115	11.5	3	138	★
HCD 116	11.6	3	138	★
HCD 117	11.7	3	138	★
HCD 118	11.8	3	138	★
HCD 119	11.9	3	138	★
HCD 120	12	3	140	★
HCD 121	12.1	3	140	★
HCD 122	12.2	3	140	★
HCD 123	12.3	3	140	★
HCD 124	12.4	3	140	★
HCD 125	12.5	3	140	★
HCD 126	12.6	3	140	★
HCD 127	12.7	3	140	★
HCD 128	12.8	3	140	★
HCD 129	12.9	3	140	★
HCD 130	13	3.5	140	★





规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 131	13.1	3.5	140	★
HCD 132	13.2	3.5	140	★
HCD 133	13.3	3.5	140	★
HCD 134	13.4	3.5	140	★
HCD 135	13.5	3.5	140	★
HCD 136	13.6	3.5	140	★
HCD 137	13.7	3.5	140	★
HCD 138	13.8	3.5	140	★
HCD 139	13.9	3.5	140	★
HCD 140	14	3.5	140	★
HCD 141	14.1	3.5	140	★
HCD 142	14.2	3.5	140	★
HCD 143	14.3	3.5	140	★
HCD 144	14.4	3.5	140	★
HCD 145	14.5	3.5	140	★
HCD 146	14.6	3.5	140	★
HCD 147	14.7	3.5	140	★
HCD 148	14.8	3.5	140	★
HCD 149	14.9	3.5	140	★
HCD 150	15	3.5	140	★
HCD 151	15.1	3.5	140	★
HCD 152	15.2	3.5	140	★
HCD 153	15.3	3.5	140	★
HCD 154	15.4	3.5	140	★
HCD 155	15.5	3.5	140	★
HCD 156	15.6	3.5	140	★
HCD 157	15.7	3.5	140	★
HCD 158	15.8	3.5	140	★
HCD 159	15.9	3.5	140	★
HCD 160	16	4.2	140	★
HCD 161	16.1	4.2	140	★

规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 162	16.2	4.2	140	★
HCD 163	16.3	4.2	140	★
HCD 164	16.4	4.2	140	★
HCD 165	16.5	4.2	140	★
HCD 166	16.6	4.2	140	★
HCD 167	16.7	4.2	140	★
HCD 168	16.8	4.2	140	★
HCD 169	16.9	4.2	140	★
HCD 170	17	4.2	140	★
HCD 171	17.1	4.2	140	★
HCD 172	17.2	4.2	140	★
HCD 173	17.3	4.2	140	★
HCD 174	17.4	4.2	140	★
HCD 175	17.5	4.2	140	★
HCD 176	17.6	4.2	140	★
HCD 177	17.7	4.2	140	★
HCD 178	17.8	4.2	140	★
HCD 179	17.9	4.2	140	★
HCD 180	18	4.5	140	★
HCD 181	18.1	4.5	140	★
HCD 182	18.2	4.5	140	★
HCD 183	18.3	4.5	140	★
HCD 184	18.4	4.5	140	★
HCD 185	18.5	4.5	140	★
HCD 186	18.6	4.5	140	★
HCD 187	18.7	4.5	140	★
HCD 188	18.8	4.5	140	★
HCD 189	18.9	4.5	140	★
HCD 190	19	4.5	140	★
HCD 191	19.1	4.5	140	★
HCD 192	19.2	4.5	140	★



规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 193	19.3	4.5	140	★
HCD 194	19.4	4.5	140	★
HCD 195	19.5	4.5	140	★
HCD 196	19.6	4.5	140	★
HCD 197	19.7	4.5	140	★
HCD 198	19.8	4.5	140	★
HCD 199	19.9	4.5	140	★
HCD 200	20	5	140	★
HCD 201	20.1	5	140	★
HCD 202	20.2	5	140	★
HCD 203	20.3	5	140	★
HCD 204	20.4	5	140	★
HCD 205	20.5	5	140	★
HCD 206	20.6	5	140	★
HCD 207	20.7	5	140	★
HCD 208	20.8	5	140	★
HCD 209	20.9	5	140	★
HCD 210	21	5	140	★
HCD 211	21.1	5	140	★
HCD 212	21.2	5	140	★
HCD 213	21.3	5	140	★
HCD 214	21.4	5	140	★
HCD 215	21.5	5	140	★
HCD 216	21.6	5	140	★
HCD 217	21.7	5	140	★
HCD 218	21.8	5	140	★
HCD 219	21.9	5	140	★
HCD 220	22	5	140	★
HCD 221	22.1	5	140	★
HCD 222	22.2	5	140	★
HCD 223	22.3	5	140	★

规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 224	22.4	5	140	★
HCD 225	22.5	5	140	★
HCD 226	22.6	5	140	★
HCD 227	22.7	5	140	★
HCD 228	22.8	5	140	★
HCD 229	22.9	5	140	★
HCD 230	23	5	140	★
HCD 231	23.1	5	140	★
HCD 232	23.2	5	140	★
HCD 233	23.3	5	140	★
HCD 234	23.4	5	140	★
HCD 235	23.5	5	140	★
HCD 236	23.6	5	140	★
HCD 237	23.7	5	140	★
HCD 238	23.8	5	140	★
HCD 239	23.9	5	140	★
HCD 240	24	5.5	140	★
HCD 241	24.1	5.5	140	★
HCD 242	24.2	5.5	140	★
HCD 243	24.3	5.5	140	★
HCD 244	24.4	5.5	140	★
HCD 245	24.5	5.5	140	★
HCD 246	24.6	5.5	140	★
HCD 247	24.7	5.5	140	★
HCD 248	24.8	5.5	140	★
HCD 249	24.9	5.5	140	★
HCD 250	25	5.5	140	★
HCD 251	25.1	5.5	140	★
HCD 252	25.2	5.5	140	★
HCD 253	25.3	5.5	140	★
HCD 254	25.4	5.5	140	★




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 255	25.5	5.5	140	★
HCD 256	25.6	5.5	140	☆
HCD 257	25.7	5.5	140	☆
HCD 258	25.8	5.5	140	☆
HCD 259	25.9	5.5	140	☆
HCD 260	26	5.5	140	☆
HCD 261	26.1	5.5	140	☆
HCD 262	26.2	5.5	140	☆
HCD 263	26.3	5.5	140	☆
HCD 264	26.4	5.5	140	☆
HCD 265	26.5	5.5	140	☆
HCD 266	26.6	5.5	140	☆
HCD 267	26.7	5.5	140	☆
HCD 268	26.8	5.5	140	☆
HCD 269	26.9	5.5	140	☆
HCD 270	27	5.5	140	☆
HCD 271	27.1	5.5	140	☆
HCD 272	27.2	5.5	140	☆
HCD 273	27.3	5.5	140	☆
HCD 274	27.4	5.5	140	☆
HCD 275	27.5	5.5	140	☆
HCD 276	27.6	5.5	140	☆
HCD 277	27.7	5.5	140	☆
HCD 278	27.8	5.5	140	☆
HCD 279	27.9	5.5	140	☆
HCD 280	28	6	140	☆
HCD 281	28.1	6	140	☆
HCD 282	28.2	6	140	☆
HCD 283	28.3	6	140	☆
HCD 284	28.4	6	140	☆
HCD 285	28.5	6	140	☆

规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 286	28.6	6	140	☆
HCD 287	28.7	6	140	☆
HCD 288	28.8	6	140	☆
HCD 289	28.9	6	140	☆
HCD 290	29	6	140	☆
HCD 291	29.1	6	140	☆
HCD 292	29.2	6	140	☆
HCD 293	29.3	6	140	☆
HCD 294	29.4	6	140	☆
HCD 295	29.5	6	140	☆
HCD 296	29.6	6	140	☆
HCD 297	29.7	6	140	☆
HCD 298	29.8	6	140	☆
HCD 299	29.9	6	140	☆
HCD 300	30	6.4	140	☆
HCD 301	30.1	6.4	140	☆
HCD 302	30.2	6.4	140	☆
HCD 303	30.3	6.4	140	☆
HCD 304	30.4	6.4	140	☆
HCD 305	30.5	6.4	140	☆
HCD 306	30.6	6.4	140	☆
HCD 307	30.7	6.4	140	☆
HCD 308	30.8	6.4	140	☆
HCD 309	30.9	6.4	140	☆
HCD 310	31	6.4	140	☆
HCD 311	31.1	6.4	140	☆
HCD 312	31.2	6.4	140	☆
HCD 313	31.3	6.4	140	☆
HCD 314	31.4	6.4	140	☆
HCD 315	31.5	6.4	140	☆
HCD 316	31.6	6.4	140	☆
HCD 317	31.7	6.4	140	☆
HCD 318	31.8	6.4	140	☆
HCD 319	31.9	6.4	140	☆
HCD 320	32	6.4	140	☆

深孔钻 (Deep hole drill)


带定心钻钻头 深孔钻 6D Spotting U-drill 6D




规格型号 Specification and model	钻头数据 Drill bit data					刀片型号 Insert model	定心钻 Centering drill	配件 Accessory		库存 Stock
	D	L1	L	Ds	Ls			螺钉 Screw	扳手 Wrench	
WPD C25-20-6D	20	123	201	25	56	WCMX030208	PLD V-0630	M2.5*6	T8	★
WPD C25-21-6D	21	129	207							★
WPD C25-22-6D	22	135	213							★
WPD C25-23-6D	23	141	219							★
WPD C25-24-6D	24	147	225							★
WPD C32-25-6D	25	153	240							★
WPD C32-26-6D	26	159	246	32	60	WCMX040208	PLD V-0630	M2.5*7D4	T8	★
WPD C32-27-6D	27	165	252							★
WPD C32-28-6D	28	171	258							★
WPD C32-29-6D	29	177	264							★
WPD C32-30-6D	30	183	270							★
WPD C32-31-6D	31	179	278							★
WPD C32-32-6D	32	185	284							★
WPD C32-33-6D	33	191	290							★
WPD C32-34-6D	34	197	296							★
WPD C32-35-6D	35	203	302							★
WPD C32-36-6D	36	209	306							★
WPD C32-37-6D	37	215	312							★
WPD C32-38-6D	38	221	318	40	70	WCMX050308	PLD V-0835	M3.0*8	T10	★
WPD C32-39-6D	39	227	324							★
WPD C40-40-6D	40	233	340							★
WPD C40-41-6D	41	239	346							★
WPD C40-42-6D	42	245	352							★
WPD C40-43-6D	43	251	358							★
WPD C40-44-6D	44	257	364							★
WPD C40-45-6D	45	263	370							★

深孔钻 (Deep hole drill)

带定心钻钻头 深孔钻 8D Spotting U-drill 8D



规格型号 Specification and model	钻头数据 Drill bit data					刀片型号 Insert model	定心钻 Centering drill	配件 Accessory		库存 Stock
	D	L1	L	Ds	Ls			螺钉 Screw	扳手 Wrench	
WPD C25-20-8D	20	163	241	25	56	WCMX030208	PLD V-0630	M2.5*6	T8	★
WPD C25-21-8D	21	171	249							★
WPD C25-22-8D	22	179	257							★
WPD C25-23-8D	23	187	265							★
WPD C25-24-8D	24	195	273							★
WPD C32-25-8D	25	203	290							★
WPD C32-26-8D	26	211	298	32	60	WCMX040208	PLD V-0630	M2.5*7D4	T8	★
WPD C32-27-8D	27	219	306							★
WPD C32-28-8D	28	227	314							★
WPD C32-29-8D	29	235	322							★
WPD C32-30-8D	30	243	330							★
WPD C32-31-8D	31	241	340							★
WPD C32-32-8D	32	249	348							★
WPD C32-33-8D	33	257	356							★
WPD C32-34-8D	34	265	364							★
WPD C32-35-8D	35	273	372							★
WPD C32-36-8D	36	281	378							★
WPD C32-37-8D	37	289	386							★
WPD C32-38-8D	38	297	394	40	70	WCMX050308	PLD V-0835	M3.0*8	T10	★
WPD C32-39-8D	39	305	402							★
WPD C40-40-8D	40	313	420							★
WPD C40-41-8D	41	321	428							★
WPD C40-42-8D	42	329	436							★
WPD C40-43-8D	43	337	444							★
WPD C40-44-8D	44	345	452							★
WPD C40-45-8D	45	353	460							★



规格型号 Specification and model	D	L	适用钻头类型 Applicable drill bit type
PLD-V0630 TiN	6	30	VLT,TSD,TMD
PLD-V0835 TiN	8	35	VLT,TSD,TMD
PLD-V1035 TiN-H	10	35	VMD,VLT,MXD,TSD,TMD
PLD-V1238 TiN-H	12	38	VMD,VLT,MXD,TSD,TMD
PLD-V1645 TiN-H	16	45	VMD,VLT,MXD,TSD,TMD
PLD-2045 TiN-H	20	45	VMD,MXD
PLD-2556 TiN-H	25	56	VMD,MXD
PLD-3068 TiN-H	30	68	VMD,MXD